ECOR-1-BSC3/2X21 - Relay base

2907518

https://www.phoenixcontact.com/in/products/2907518

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



ECOR-1... relay base, for miniature power relay or miniature switching relay with 1 or 2 changeover contacts, screw connection, plug-in option for input/interference suppression modules, for mounting on NS 35/7,5

Commercial Data

Item number	2907518
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	CK6
Product Key	CK6312
GTIN	4055626214351
Weight per Piece (including packing)	51.295 g
Weight per Piece (excluding packing)	50.295 g
Customs tariff number	85366990
Country of origin	CN

ECOR-1-BSC3/2X21 - Relay base

2907518

https://www.phoenixcontact.com/in/products/2907518



Technical Data

Product properties

	Product family	ESSENTIAL edition
Ele	ectrical properties	
	Nominal voltage U _N	250 V AC/DC
	Nominal current I _N	12 A

Connection data

Input side

Connection method	Screw connection
Stripping length	8 mm
Screw thread	M3
Conductor cross section rigid	2x 0.2 mm ² 2.5 mm ² (without ferrule)
	2x 0.2 mm ² 1.5 mm ² (with ferrule)
Conductor cross section flexible	2x 0.2 mm ² 2.5 mm ² (without ferrule)
	2x 0.2 mm ² 1.5 mm ² (with ferrule)

Output side

Connection method	Screw connection
Stripping length	8 mm
Screw thread	M3
Conductor cross section rigid	2x 0.2 mm ² 2.5 mm ² (without ferrule)
	2x 0.2 mm ² 1.5 mm ² (with ferrule)
Conductor cross section flexible	2x 0.2 mm ² 2.5 mm ² (without ferrule)
	2x 0.2 mm ² 1.5 mm ² (with ferrule)

Dimensions

Width	15.7 mm
Height	79.2 mm
Depth Retaining bracket	69 mm (ECOR-RH-1L)
	78 mm (ECOR-RH-1H)

Environmental and real-life conditions

	Ambient conditions	
	Ambient temperature (operation)	-25 °C 70 °C
	Ambient temperature (storage/transport)	-25 °C 70 °C
Mo	ounting	

Mounting type	DIN rail mounting
Mounting position	any

ECOR-1-BSC3/2X21 - Relay base

2907518 https://www.phoenixcontact.com/in/products/2907518



Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in