### RIF-0-BPT/21 - Relay base

2900958

https://www.phoenixcontact.com/in/products/2900958

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Relay base RIF-0..., for miniature power relay with 1 changeover contact or solid-state relays of the same design, Push-in connection, for mounting on NS 35/7,5

#### **Commercial Data**

Item number	2900958
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	CK6
Product Key	CK6521
Catalog Page	Page 282 (C-5-2019)
GTIN	4046356733014
Weight per Piece (including packing)	21.45 g
Weight per Piece (excluding packing)	20 g
Customs tariff number	85366990
Country of origin	CN

# RIF-0-BPT/21 - Relay base

2900958

https://www.phoenixcontact.com/in/products/2900958



#### **Technical Data**

Product properties	
Product family	RIFLINE complete
Electrical properties	
Nominal voltage U <sub>N</sub>	250 V AC/DC (Contact side)
Nominal current I <sub>N</sub>	max. 8 A (Depends on application/assembly)
Protective circuit	Freewheeling diode
Input data	
Input voltage range	12 V DC 24 V DC
Connection data	
Connection method	Push-in connection
Stripping length	8 mm
Conductor cross section rigid	0.14 mm <sup>2</sup> 1.5 mm <sup>2</sup>
Conductor cross section flexible	0.14 mm <sup>2</sup> 1.5 mm <sup>2</sup>
	0.14 mm <sup>2</sup> 1.5 mm <sup>2</sup> (Ferrule with plastic sleeve)
Conductor cross section AWG	24 16
Dimensions	
Width	6.2 mm
Height	93 mm
Depth	78 mm
Material specifications	
Flammability rating according to UL 94	V2 (Housing)
Environmental and real-life conditions	
Ambient conditions	
Ambient temperature (operation)	-40 °C 85 °C (Depends on application/assembly)
Ambient temperature (storage/transport)	-40 °C 85 °C
Approvals	
Corrosive gas test	
Identification	ISA-S71.04. G3 Harsh Group
	EN 60068-2-60
Mounting	
Mounting type	DIN rail mounting
Mounting position	any

# RIF-0-BPT/21 - Relay base

2900958 https://www.phoenixcontact.com/in/products/2900958



Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in